	Application No.	Applicant(s)	
Notice of Allowability	10/009,881	LITSCHKO ET AL.	$(\mathcal{L}_{\mathcal{L}}}}}}}}}}$
	Examiner	Art Unit	
	Anu Ramana	3732	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to the amendment filed on 2/24/2005.			
2. The allowed claim(s) is/are <u>1,2,4 and 7-13</u> .			
3. The drawings filed on are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date 6/24/2003. (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), te nent/Comment	

Application/Control Number: 10/009,881

Art Unit: 3732

EXAMINER'S COMMENT AND STATEMENT OF REASONS FOR ALLOWANCE

New corrected drawings in compliance with 37 CFR 1.121(d) is required. See Draftperson's Drawing Review attached to the Office Action mailed on June 24, 2003.

Applicants' arguments with respect to the rejections under 35 USC 112 paragraph 1 made in the office action mailed on October 20, 2004 are persuasive. Accordingly, the Examiner is withdrawing this rejection.

The following is an examiner's statement of reasons for allowance.

None of the prior art either alone or in combination discloses or teaches the method steps of manufacturing a patient-specific implant including: 1) obtaining medical two-dimensional image data of a defect area in a patient requiring an implant and an environment thereof for a patient; (2) using a mathematical image processing algorithm to form a surface using the two-dimensional data; (3) performing a segmentation to detect bones and hard tissue ranges; (4) generating a virtual three-dimensional model from the image data of the defect area and the environment thereof; (5) comparing the virtual three-dimensional model to real medical reference data; (6) selecting a plurality of sets of the reference data and forming a corresponding plurality of three-dimensional reference model objects therefrom most resembling the patient; (7) selecting one of the plurality of three-dimensional reference model objects best suited for the patient; (8) generating a virtual implant model from the selected three-dimensional reference model object by superimposing the selected three-dimensional reference model object with the virtual three-dimensional model; and (9) manufacturing the implant by computer numeric control based on data from the virtual implant model.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anu Ramana whose telephone number is (571) 272-

Application/Control Number: 10/009,881

Art Unit: 3732

4718. The examiner can normally be reached Monday through Friday between 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached at (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 13, 2005

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700